

# INDEX TO VOLUME 79 (PART A) 2001

## AUTHORS AND PAPERS

- A**
- Ajbar, A. and Alhumaizi, K., Gas phase polyethylene reactors a global study of stability behaviour 195
- Al-Dahhan, M.H. (see Rammohan, A.R.) 881
- Al-Sarkhi, A. and Hanratty, T.J., Effect of pipe diameter on the performance of drag-reducing polymers in annular gas-liquid flows 402
- Ale Ebrahim, H. and Jamshidi, E., Kinetic study of zinc oxide reduction by methane 62
- Alhumaizi, K. (see Ajbar, A.) 195
- Ali, E., pH control using pi control algorithms with automatic tuning method 611
- Alonso, S., Réglat, O., Bertrand, F., Choplin, L. and Tanguy, P.A., Process viscosity in reverse roll coating 128
- Altway, A., Setyawan, H., Margono and Winardi, S., Effect of particle size on simulation of three-dimensional solid dispersion in stirred tank 1011
- Aminudin, K.A., Smith, R., Thong, D.Y.C. and Towler, G.P., Design and optimization columns. Part 1: Preliminary design and optimization methodology 701
- Aminudin, K.A. and Smith, R., Design and optimization of fully thermally coupled distillation columns. Part 2: Application of dividing wall columns in retrofit 716
- Andre, C. (see Delaplace, G.) 927
- Andrieu, M. (see Guichardon, P.) 906
- Arampatzis, G. (see Michalopoulos, J.) 137
- Armenante, P.M. (see Uehara-Nagamine, E.) 979
- Arvelo, R. (see Brito, A.) 81
- Aubin, J., Mavros, P., Fletcher, D.F., Bertrand, J. and Xuereb, C., Effect of axial agitator configuration (up-pumping, down-pumping, reverse rotation) on flow patterns generated in stirred vessels 831
- Azzopardi, B.J. (see Rea, S.) 470
- B**
- Bagajewicz, M. and Savelski, M., On the use of linear models for the design of water utilization systems in process plants with a single containment 600
- Bakker, R.A. (see Rozeń, A.) 938
- Baldi, G. (see Marchisio, D.L.) 998
- Baldyga, J. (see Rozeń, A.) 938
- Barbera, E. (see García-Cortés, D.) 269
- Barresi, A.A. (see Marchisio, D.L.) 998
- Bates, A. (see Kapur, N.) 41
- Belaubre, N. (see Delaplace, G.) 927
- Bergles, A.E., Implications and challenges of enhanced heat transfer for the chemical process industries. The 437
- Bertrand, F. (see Alonso, S.) 128
- Bertrand, J. (see Aubin, J.) 831
- Bertrand, J. (see Mavros, P.) 843
- Bertrand, J. (see Ranade, V.V.) 3, 957
- Bertrand, J. (see Briceño, M.) 943
- Baldyga, J., Henczka, M. and Makowski, L., Effects of mixing on parallel chemical reactions in a continuous flow stirred tank reactor 895
- Borges, M.E. (see Brito, A.) 81
- Bott, T.R., Potential physical methods for the control of biofouling in water systems 484
- Bouillard, J. (see Huilin, L.) 593
- Bouyer, D., Line, A., Cockx, A. and Do-Quang, Z., Experimental analysis of flow size distribution and hydrodynamics in a jar test 1017
- Briceño, M., Salager, J.L. and Bertrand, J., Influence of dispersed phase content and viscosity on the mixing of concentrated oil-in-water emulsions in the transition flow regime 943
- Britto, A., Arvelo, R., Borges, M.E. and Garcia, F.J., Regeneration of a Ni-Mo/Al<sub>2</sub>O<sub>3</sub> catalyst: Experimental and simulated results 81
- Brodkorb, M.J. and Slater, M.J., Multicomponent and contamination effects on mass transfer in a liquid-liquid extraction rotating disc contactor 335
- Brucato, A. (see Montante, G.) 1005
- Bruce, T. (see Burnside, B.M.) 445
- Brüha, O. (see Kratěna, J.) 819
- Bujalski, W. (see Gezork, K.M.) 965
- Bunge, W. (see Hoefsloot, H.C.J.) 921
- Burnside, B.M., Miller, K.M. McNeil, D.A. and Bruce, T., Heat transfer coefficient distributions on an experimental kettle reboiler thin slice 445
- C**
- Carnelle, G. (see Legrand, J.) 949
- Chen, J.J.J., Qian, K.X. and Chao, J.C., Resistance due to the presence of bubbles in an electrolytic cell with a grooved anode 383
- Chi-Chuan Wang, Shi-Kuo Chiang, Yu-Juei Chang and Tsair-Wang Chung, Two phase flow resistance of refrigerants R-22, R-410a and R407c in small diameter tubes 553
- Chi-Wai Hui and Smith, R., Targeting and design for minimum treatment flow rate for vent streams 13
- Choplin, L. (see Alonso, S.) 128
- Choplin, L. (see Furling, O.) 915
- Cockx, A. (see Bouyer, D.) 1017
- Cominos, V. and Gavrilidis, A., An experimental study of non-uniform Pd catalytic monoliths 795
- Cooke, M. (see Gezork, K.M.) 965
- Cornwell, K. (see Lin, S.) 417
- Cosgrove, J.A. (see Ni, X.) 33
- Cumming, R.H. (see Ni, X.) 33
- D**
- Dahule, R.K. (see Ramanathan, S.P.) 310
- Dally, B.B. (see Sowana, D.D.) 853
- David, R. (see Fall, A.) 862
- Davidson, J.F. (see Spurling, R.J.) 51
- Delaplace, G., Torrez, C., Leuliet, J.C., Belaubre, N. and Andre, C., Experimental and CFD simulation of heat transfer to highly viscous fluids in an agitated vessel equipped with a non-standard helical ribbon impeller 927
- Derkens, J., Assessment of large eddy simulation for agitated flows 824
- Devalkar, S.K. (see Mehta, R.K.C.) 143
- Do-Quang, Z. (see Bouyer, D.) 1017
- Dudukovic, M.P. (see Rammohan, A.R.) 881
- Dunlop, E.H. (see Sowana, D.D.) 853
- Dyster, K.N. (see Jaworski, Z.) 873
- E**
- Epstein, M. and Fauske, H.K., Applications of the turbulent entrainment assumption to immiscible gas-liquid and liquid-liquid systems 453
- F**
- Falk, L. (see Guichardon, P.) 906
- Fall, A., Lecoq, O. and David, R., Characterization of mixing in a stirred tank by planar laser induced fluorescence (PLIF) 862
- Fausser, J. (see Mitrovic, J.) 363
- Fauske, H.K. (see Epstein, M.) 453
- Ferrer, E. (see García-Cortés, D.) 269
- Fletcher, D.F. (see Aubin, J.) 831
- Fletcher, D.F. (see Harvie, D.J.E.) 235
- Fletcher, D.F. (see Lebarbier, C.) 260
- Fletcher, D.F. (see Sowana, D.D.) 853
- Forney, L.J. (see Georges, A.T.G.) 515
- Fořt, I. (see Kratěna, J.) 819
- Fourcade, E. (see Hoefsloot, H.C.J.) 921
- Fox, O. (see Marchisio, D.L.) 998
- Fraga, E.S., Patel, R. and Rowe, G.W.A., A visual representation of process heat exchangers as a basis for user interaction and stochastic optimization 765

- Furling, O., Choplin, L. and Tanguy, P.A., In-line rheological follow-up of concentrated dispersions preparation 915
- G**
- Ganzevles, F.L.A. (see Van Der Geld, C.W.M.) 357
- Gao, Z., Smith, J.M. and Müller-Steinhagen, H., Gas dispersion in sparged and boiling reactors 973
- Gao, Z. (see Smith, J.M.) 575
- Garbero, M. (see Marchisio, D.L.) 998
- Garcia, F.J. (see Brito, A.) 81
- García-Cortés, D., Ferrer, E. and Barbera, E., Hydrodynamic characterization of the flow induced by a four-bladed disk-style turbine 269
- Gaskell, P.H. (see Kapur, N.) 41
- Georgiadis, M.C. (see Gíanelos, N.F.) 747
- Gezork, K.M., Bujalski, W., Cooke, M. and Nienow, A.W., Mass transfer and hold-up characteristics in a gassed, stirred vessel at intensified operating conditions 965
- Ghosh, S. (see Ramanathan, S.P.) 310
- Gíanelos, N.F. and Georgiadis, M.C., Scheduling of cutting-stock processes on multiple parallel machines 747
- Giorges, A.T.G., Forney, L.J. and Xiaodong Wang, Numerical study of multi-jet mixing 515
- Godfrey, L.C., Houlton, D., Ramlochan, K.R.M. and Slater, M.J., Single phase axial mixing in rotating disc contractors 156
- Grandjean, B.P.A. (see Piché, S.) 71
- Great, C.A. (see Ni, X.) 33
- Guichardon, P., Falk, L. and Andrieu, M., Experimental comparison of the iodide-iodate and the diazo coupling micromixing test reactions in stirred reactors 906
- Gupta, Y.P. (see Abou-Jeyab, R.A.) 274
- Gurevich, M. (see Hetsroni, G.) 376
- H**
- Hamachi, M. and Miettinen-Peuchot, M., Cake thickness measurement with an optical laser sensor 151
- Hamersma, P.J. (see Ottens, M.) 581
- Hanratty, T.J. (see Al-Sarkhi, A.) 402
- Harvie, D.J.E., Langrish, T.A.G. and Fletcher, D.F., Numerical simulations of gas flow patterns within a tall-form spray dryer 235
- Henczka, M. (see Baldyga, J.) 895
- Hetsroni, G., Gurevich, M., Mosyak, A. and Rozenblit, R., Dry out in inclined gas-liquid pipelines 376
- Hewitt, G.F. (see Ng, T.S.) 499
- Hiraoka, S., Kato, Y., Tada, Y., Ozaki, N., Murakami, Y. and Lee, Y.S., Power consumption and mixing time in an agitated vessel with double impeller 805
- Hisashi Umekawa (see Mamoru Ozawa) 389
- Hoeflsloot, H.C.J., Fourcade, E., van Vliet, G., Bunge, W., Musters, S.M.P. and Iedema, P.D., The influence of mixing on molecular weight distribution during controlled polymer degradation in a static mixer reactor 921
- Hoeflsloot, H.C.J. (see Ottens, M.) 581
- Holdich, R.G. (see Richardson, D.J.) 569
- Houlton, D. (see Godfrey, J.C.) 156
- Huilin, L., Yongli, S., Yang, L., Yurong, H. and Bouillard, J., Numerical simulations of hydrodynamic behaviour in spouted beds 593
- I**
- Iedema, P.D. (see Hoeflsloot, H.C.J.) 921
- Inukai, S., Tanma, T., Orihara, S. and Konno, M., A simple method for producing Micron-sized, highly monodisperse polystyrene particles in aqueous media: Effects of impeller speed on particle size distribution 901
- Iyuke, S.E., Synthesized tin-activated carbon adsorbent for purer and cheaper hydrogen 209
- J**
- Jamialahmadi, M., Müller-Steinhagen, H., Sarrafi, A. and Smith, J.M., Study of bubble formation under constant flow conditions 523
- Jamshidi, E. (see Ale Ebrahim, H.) 62
- Jaworski, Z., Dyster, K.N. and Nienow, A.W., The effects of size, location and pumping direction of pitched blade turbine impellers on flow patterns: LDA measurements and CFD predictions 873
- K**
- Kaichiro Mishima (see Mamoru Ozawa) 389
- Kandlikar, S.G. and Steinke, M.E., Contact angles of droplets during spread and recoil after impinging on a heated surface 491
- Kapur, N., Gaskell, P.H. and Bates, A., A parametric study of offset gravure coating 41
- Karabelas, A.J. (see Mouza, A.A.) 561
- Kato, Y. (see Hiraoka, S.) 805
- Kemoun, A. (see Rammohan, A.R.) 881
- Kenning, D.B.R. and Youyou Yan, Saturated flow boiling of water in a narrow channel: Experimental investigation of local phenomena 425
- Kent, C.A. (see Mwembeshi, M.M.) 323
- Kew, P.A. (see Lin, S.) 417
- Kockel, T.K. (see Lebarbier, C.) 260
- Koenders, M.A., Liebhart, E. and Wakeman, R.J., Dead-end filtration with torsional shear: Experimental findings and theoretical analysis 249
- Kokossis, A. (see Marcoulaki, E.) 25
- Konno, M. (see Inukai, S.) 901
- Kraténa, J., Fort, I., Brúha, O. and Pavel, J., Distribution of dynamic pressure along with a radial baffle in an agitated system with standard turbine impeller 819
- Kraume, M. and Zehner, P., Experience with experimental standards for measurements of various parameters in stirred tanks 811
- Krishna, R., Exploiting configurational entropy effects for separation of hexabe isomers using silicate-I 182
- Krishna, R. and Van Baten, J.M., Scaling up bubble column reactors with the aid of CFD 283
- Kulkarni, B.D. (see Ramanathan, S.P.) 310
- Kwak, H.J. (see Yoo, C.K.) 754
- L**
- Langrish, T.A.G. (see Southwell, D.B.) 222
- Langrish, T.A.G. (see Harvie, D.J.E.) 235
- Langrish, T.A.G. (see Lebarbier, C.) 260
- Larachi, F. (see Piché, S.) 71
- Lawrence, C.J. (see Ng, T.S.) 499
- Le Sauze, N. (see Ranade, V.V.) 957
- Le Sauze, N. (see Ranade, V.V.) 3
- Lebarbier, C., Kockel, T.K., Fletcher, D.F. and Langrish, T.A.G., Experimental measurement and numerical simulation of the effect of swirl on flow stability in spray dryers 260
- Lecoq, O. (see Fall, A.) 862
- Lee, I.B. (Yoo, C.K.) 754
- Lee, Y.S. (see Hiraoka, S.) 805
- Legrand, J., Moránçais, P. and Carnelle, G., Liquid-liquid dispersion in an SMX-Sulzer static mixer 949
- Leuillet, J.C. (see Delaplace, G.) 927
- Liebhart, E. (see Koenders, M.A.) 249
- Lin, S., Kew, P.A. and Cornwell, K., Flow boiling of refrigerant R141B in small tubes 417
- Line, A. (see Bouyer, D.) 1017
- Linck, V., Moucha, T. and Rejl, F.J., Hydraulic mass transfer characteristics of packings for adsorption and distillation columns 725
- Linke, P. (see Marcoulaki, E.) 25
- Ljungqvist, M. and Rasmuson, A., Numerical simulation of the phase flow in an axially stirred vessel 533
- Lygeros, A. (see Michalopoulos, J.) 137
- M**
- Maa, J.R. (see Yang, Y.M.) 409
- McGrath, G. (see Özcan-Taskin, G.) 789
- McNeil, D.A. (see Burnside, B.M.) 45
- Magelli, F. (see Montante, G.) 1005
- Makowski, L. (see Baldyga, J.) 895
- Malayeri, M.R., Smith, J.M. and Müller-Steinhagen, H., Behaviour of gas-liquid and vapour-liquid upward bubbly flows passing through a vertical venturi 371
- Mamoru Ozawa, Hisashi Umekawa, Kaichiro Mishima, Takashi Hibiki and Yasushi Saito, CHF in oscillatory flow boiling channels 389
- Mann, R. (see Mavros, P.) 843

- Marchisio, D.L., Fox, R.O., Barresi, A.A., Garbero, M. and Baldi, G., On the simulation of turbulent precipitation in a tubular reactor via computational fluid dynamics (CFD) 998
- Marcoulaki, E., Linke, P. and Kokossis, A., Design of separation trains and reaction-separation networks using stochastic optimization methods 25
- Margano (see Altway, A.) 1011
- Mavros, P., Flow visualization on stirred vessels: A review of experimental technique 113
- Mavros, P. Mann, R., Vlaev, S.D. and Bertrand, J., Experimental visualization and CFD simulation of flow patterns induced by a novel energy saving dual configuration impeller in stirred vessels 843
- Mavros, P. (see Aubin, J.) 831
- Mehta, R.K.C., Devalkar, S.K. and Narasimhan, S., An optimization approach for evolutionary synthesis of heat exchanger networks 143
- Micale, G. (see Montante, G.) 1005
- Michalopoulos, J., Papadokonstadakis, S., Arampatzis, G. and Lygeros, A., Modelling of an industrial fluid cracking unit using neural networks 137
- Mietton-Peuchot, M. (see Hamachi, M.) 151
- Miller, K.M. (see Burnside, B.M.) 445
- Min-Sen Chiu (see Teck Kiang Lee) 89
- Mitrovic, J. and Fauser, J., Propagation of boiling fronts along horizontally arranged heated tubes 363
- Montante, G., Micale, G., Magelli, F. and Brucato, A., Experiments and CFD predictions of solid particle distribution in a vessel agitated with four pitched blade turbines 1005
- Morancs, P. (see Legrand, J.) 949
- Mosyak, A. (see Hettroni, G.) 376
- Moucha, T. (see Linek, V.) 716
- Mouza, A.A., Paras, S.V. and Karabelas, A.J., CFD code application to wavy stratified gas-liquid flow 561
- Mukherjee, S. (see Ramanathan, S.P.) 310
- Müller Steinhagen, H. (see Gao, Z.) 973
- Müller-Steinhagen, H. (see Malayeri, M.R.) 371
- Müller-Steinhagen, H. (see Jamialahmadi, M.) 523
- Murakami, Y. (see Hiraoka, S.) 805
- Murray, K.R. (see Ni, X.) 33
- Musters, S.M.P. (see Hoefsloot, H.C.J.) 921
- Mwembeshi, M.M., Kent, C.A. and Salhi, S., An approach to robust and flexible modelling and control of pH in reactors 323
- N
- Narasimhan, S. (see Mehta, R.K.C.) 143
- Ng, T.S., Lawrence, C.J. and Hewitt, G.F., Gravity driven laminar flow in a partially filled pipe 499
- Ni, X., Cosgrove, N.A., Cumming, R.H., Greated, C.A., Murray, K.R. and Norman, P., Experimental study of flocculation of bentonite and Alcaligenes eutrophus in a batch oscillatory baffled flocculator 33
- Nienow, A.W. (see Gezork, K.M.) 965
- Nienow, A.W. (see Jaworski, Z.) 873
- Norman, P. (see Ni, X.) 33
- O
- O'Neill, B.K. (see Sowana, D.D.) 853
- Orihara, S. (see Inukai, S.) 901
- Ottens, M., Hoefsloot, H.C.J. and Hamersma, P.J., Correlation predicting liquid hold-up and pressure gradient on steady state (nearly) horizontal co current gas liquid pipe flow 581
- Ozaki, N. (see Hiraoka, S.) 805
- Özcan-Taskin, G. and McGrath, G., Draw down of light particles in stirred tanks 789
- P
- Palen, J.L. and Yang, Z.H., Reflux condensation flooding prediction: Review of current status 463
- Papadokonstadakis, S. (see Michalopoulos, J.) 137
- Paras, S.V. (see Mouza, A.A.) 561
- Patel, R. (see Fraga, E.S.) 765
- Pavel, J. (see Kratena, J.) 819
- Perrard, M. (see Ranade, V.V.) 3, 957
- Petyluk, F.B. and Yu Danilov, R., Theory of distillation trajectory bundles and its application to the optimal design and separation of units: Distillation trajectory bundles at finite reflux 733
- Piché, S., Larachi, F. and Grendjean, B.P.A., Improved liquid hold-up for randomly packed towers 71
- Pinho, C. (see Rangel, N.) 547
- Prausnitz, J.M., Chemical engineering and the post-modern world 777
- Pullum, L. (see Wu, J.) 989
- Q
- Qian, K.X. (see Chen, J.J.J.) 383
- R
- R.A. Abou-Jeyab and Y.P. Gupta, Constrained multivariable control of fluidized catalytic cracking process using linear programming 274
- Rahman, I. (see Ramanathan, S.P.) 310
- Ramanathan, S.P., Mukherjee, S., Dahule, R.K., Ghosh, S., Rahman, I., Tambe, S.S., Ravetkar, D.D. and Kulkarni, B.D., Optimization of continuous distillation columns using stochastic optimization approaches 310
- Ramlochan, K.R.M. (see Godfrey, J.C.) 156
- Rammohan, A.R., Kemoun, A., Al-Dahhan, M.H. and Dudukovic, M.P., Characterization of single phase flows in stirred tanks via computer automated radioactive particle tracking (CARPT) 881
- Ranade, V.V., Perrard, M., Le Sauze, N., Xuereb, C. and Bertrand, J., Trailing vortices of Rushton turbine: PIV measurements and CFD simulations with snapshot approach 3
- Ranade, V.V., Perrard, M., Xuereb, C., Le Sause, N. and Bertrand, J., Influence of gas flow rate on the structure of trailing vortices of a Rushton turbine: PIV measurements and CFD simulations 957
- Rangel, N., Santos, A. and Pinho, C., Pressure drop in packed shallow beds of cylindrical cork stoppers 547
- Rasmuson, A. (see Ljungqvist, M.) 533
- Ravetkar, D.D. (see Ramanathan, S.P.) 310
- Rea, S. and Azzopardi, B.J., Split horizontal stratified flow at a large diameter T-junction, The 470
- Réglat, O. (see Alonso, S.) 128
- Rejl, F.J. (see Linek, V.) 716
- Richardson, D.J. and Holdich, R.G., A novel and low cost probe for monitoring dispersed solids concentrations in liquids 569
- Rowe, G.W.A. (see Fraga, E.S.) 765
- Rožen, A., Bakker, R.A. and Baldyga, J., Effect of operating parameters and screw geometry on micromixing in a co-rotating twin screw extruder 938
- Rozenblit, R. (see Hetsroni, G.) 376
- S
- Salager, J.L. (see Briceño, M.) 943
- Salhi, S. (see Mwembeshi, M.M.) 323
- Santos, A. (see Rangel, N.) 547
- Sarraf, A. (see Jamialahmadi, M.) 523
- Savelski, M. (see Bagajewicz, M.) 600
- Scott, D.M. (see Spurling, R.J.) 51
- Setyawan, H. (see Altway, A.) 1011
- Shi-kuo Chiang (see Chi-Chuan Wang) 553
- Simons, C.T.P.F. (see Van Der Geld, C.W.M.) 357
- Slater, M.J. (see Brodtkorb, M.J.) 335
- Slater, M.J. (see Godfrey, J.C.) 156
- Smith, J.M. and Gao, Z., Power demands of gas dispersing impellers under high load conditions 575
- Smith, J.M. (see Gao, Z.) 973
- Smith, J.M. (see Jamialahmadi) 523
- Smith, J.M. (see Malayeri, M.R.) 371
- Smith, R. (see Amminudin, K.A.) 701, 716
- Smith, R. (see Chi-Wai Hui) 13
- Southwell, D.B. and Langrish, T.A.G., Effect of swirl on flow stability on spray dryers, The 222
- Sowana, D.D., Williams, D.R.G., Dunlop, E.H., Dally, B.B., O'Neil, B.K. and Fletcher, D.F., Turbulent shear stress effects on plant cell suspension cultures 853
- Spurling, R.J., Davidson, J.F. and Scott, D.M., Transient response of granular flows in an inclined rotating cylinder 51
- Steinke, M.E. (see Kandlikar, S.G.) 491
- T
- Tada, Y. (see Hiraoka, S.) 805
- Takashi Hibiki (see Mamory Ozawa) 389

- Tambe, S.S. (see Ramanathan, S.P.)  
 Tanguy, P.A. (see Alonso, S.)  
 Tanguy, P.A. (see Furling, O.)  
 Tanma, T. (see Inukai, S.)  
 Teck Kiang Lee and Min-Sen Chiu, Further results on expansion design of partially decentralized controllers  $2 \times 2$  plant cases  
 Thong, D.Y.C. (see Amminudin, K.A.)  
 Torrez, C. (see Delaplace, G.)  
 Towler, G.P. (see Amminudin, K.A.)  
 Tsair-Wang Chung (see Chi-Chuan Wang)
- U  
 Uehara-Nagamine, E. and Armenante, P.M., Effect of process variables on the single-feed semibatch precipitation of barium sulphate
- V  
 Van Batten, J.M. (see Krishna, R.)  
 Van Der Geld, C.W.M., Ganzewles, F.L.A., Simons, C.T.P.F. and Weitz, E., Geometry adaptations to improve the performance of compact, polymer condensers  
 van Vliet, G. (see Hoefsloot, H.C.J.)  
 Vlaev, S.D.
- W  
 Wadekar, V.V. and Hills, P.D., Evaporative heat transfer to solutions containing dissolved solids: Effect of vapour-liquid equilibrium and mass transfer  
 Wakeman, R.J. (see Koenders, M.A.)  
 Wang, M. and Yin, W., Measurements of the concentration and velocity distribution in miscible liquid mixing using electrical resistance tomography  
 Weitz, F. (see Van Der Geld, C.W.M.)  
 Williams, D.R.G. (see Sowana, D.D.)  
 Winardi, S. (see Altway, A.)  
 Wu, G. and Zhu, X.X., Retrofit of integrated refrigeration systems  
 Wu, J., Zhu, Y. and Pullum, L., Impeller geometry on velocity and solids suspension
- X  
 Xiaodong Wang (see Georges, A.T.G.)  
 Xuereb, C. (see Aubin, J.)  
 Xuereb, C. (see Ranade, V.V.)
- Y  
 Yang, L. (see Huilin, L.)  
 Yang, Y.M. and Maa, J.R., On the criteria of nucleate pool boiling enhancement by surfactant addition to water  
 Yang, Z.H. (see Palen, J.)  
 Yasushi Saito (see Mamoru Ozawa)  
 Yin, W. (see Wang, M.)  
 Yongli, S. (see Huilin, L.)  
 Yoo, C.K., Kwak, H.J. and Lee, I.B., Direct identification method of second order plus time delay model parameters  
 Youyou Yan (see Kennong, D.B.R.)  
 Yu Danilov, R. (see Petyluk, F.B.)  
 Yu-Juei Chang (see Chi-Chuan Wang)  
 Yurong, H. (see Huilin, L.)
- Z  
 Zehner, P. (see Kraume, M.)  
 Zehtaban, M.R. (see Jamialahmadi, M.)  
 Zhao, J.C. (see Chen, J.J.)  
 Zhu, X.X. (see Wu, G.)  
 Zhu, Y. (see Wu, J.)
- TITLES AND KEYWORDS**
- A  
 absorption  
 adsorber breakthrough  
 adsorption  
 agitated vessel  
 agitation
- Alcaligenes eutrophus  
 angular velocity  
 annular flow  
 annular flow and entrainment  
 Applications of the turbulent entrainment assumption: to immiscible gas-liquid and liquid-liquid systems, Epstein, M. and Fauske, H.K.  
 Approach to robust and flexible modelling and control of pH in reactors, An, Mwembeshi, M.M., Kent, C.A. and Salhi, S.  
 aqueous solutions  
 Assessment of large eddy simulations for agitated flows, Derksen, J.  
 auto-correlation  
 axial agitator  
 axial flow  
 axial mixing  
 azeotropic distillation  
 azeotropic mixture
- B  
 barium sulphate  
 batch dispersion process  
 Behaviour of gas-liquid and vapour-liquid upward bubbly flows passing through a vertical venturi, The, Malayeri, M.R., Smith, J.M. and Müller-Steinhagen, H.  
 bentonite  
 biocide  
 biofouling  
 bioreactors  
 block relative gain  
 boiling  
 boiling enhancement criteria  
 boiling channel  
 boiling fronts  
 boiling heat transfer  
 boiling reactors  
 bubble columns  
 bubble interactions  
 bubble rise  
 bubbly flow
- C  
 Cake thickness measurement with an optical laser sensor, Hamachi, M. and Mietton-Peuchot, M.  
 catalysis  
 cell damage  
 CFD  
 CFD code application to wavy stratified gas-liquid flow, Mouza, A.A., Paras, S.V. and Karabelas, A.J.  
 Characterization of mixing in a stirred tank by planar laser induced fluorescence (P.L.I.F.), Fall, A., Lecoq, O. and David, R.  
 Characterization of single phase flows in stirred tanks via computer automated radioactive particle tracking (CARPT), Rammohan, A.R., Kemoun, A., Al-Dahhan, M.H. and Dudukovic, M.P.  
 Chemical Engineering and the post-modern world, Prausnitz, J.M.  
 chemical vapour deposition  
 CHF in oscillatory flow boiling channels, Mamoru Ozawa, Hisashi Umekawa, Kaichiro Mishima, Takashi Hibiki and Yasushi Saito  
 clusters  
 coating colour  
 compact heat exchangers  
 concentrated emulsions  
 concentrated suspension  
 concentration  
 condensation  
 conductivity  
 configurational-bias Monte Carlo simulations  
 Constrained multivariable control of fluidized catalytic cracking process using linear programming, Abou-Jeyab, R.A. and Gupta, Y.P.  
 contact angle  
 Contact angles of droplets during spread and recoil after impinging on a heated surface, Kandlikar, S.G. and Steinke, M.E.  
 continuous distillation  
 control
- 33  
 869  
 376  
 402  
 453  
 323  
 477  
 824  
 869  
 831  
 533  
 156  
 310  
 733  
 979, 998  
 915  
 371  
 33  
 484  
 484  
 269  
 89  
 363, 417  
 409  
 389  
 363  
 425  
 973  
 283  
 283  
 283  
 371  
 151  
 81  
 853  
 3, 235, 260, 283, 533, 561, 853, 873, 895, 927, 957, 998, 1005  
 561  
 862  
 881  
 777  
 795  
 389  
 376  
 128  
 357, 417, 425  
 943  
 915  
 869  
 463  
 569  
 182  
 274  
 409, 491  
 491  
 310  
 51
- 113, 843, 989, 1017

- Correlations predicting liquid hold-up and pressure gradient in steady-state (nearly) horizontal co-current gas-liquid pipe flow, Ottens, M., Hoefsloot, H.C.J. and Hamersma, P.J. 581
- counter current flow 71
- crossflow micro filtration 151
- crystallization 979
- CSTR 895
- cutting stock 747
- D
- Dead-end filtration with torsional shear: Experimental findings and theoretical analysis, Koenders, M.A., Liebhart, E. and Wakeman, R.J. 249
- debottlenecking 716
- degradation 921
- design improvements 357
- Design and optimization of fully thermally coupled distillation columns. Part 1: Preliminary design and optimization methodology, Aminudin, K.A., Smith, R., Thong, D.Y.C. and Towler, G.P. 701
- Design and optimization of fully thermally coupled distillation columns. Part 2: Application of dividing wall columns in retrofit, Aminudin, K. and Smith, R. 716
- Design of separation trains and reaction-separation networks using stochastic optimization methods, Marcoulaki, E., Linke, P. and Kokossis, A. 25
- diazo coupling test 906
- disengagement 445
- diffusion 569
- Direct identification method of second order plus time delay models parameters, Chang Kyoo Yoo, Hee Jin Kwak and In Beum Lee 754
- dispersed phase viscosity 943
- dispersion monitoring 569
- distillation 733
- distillation optimization 310
- Distribution of dynamic pressure along a radial baffle in an agitated system with standard Rushton turbine impeller, Kratěna, J., Fořt, I., Brůha, O. and Pavel, J. 819
- dividing wall column 716
- dividing wall distillation 701
- Doppler 843
- double impeller 805
- drag-reducing polymer 402
- drainage 357
- Draw down of light particles in stirred tanks, Özcan-Taskin, G. and McGrath, G. 789
- drop impingement 491
- droplet and jet break-up 453
- dropwise condensation 357
- Dryout in inclined gas-liquid pipelines, Hetsroni, G., Gurevich, M., Mosyak, A. and Rozenblit, R. 376
- dual-site Langmuir isotherm 182
- dynamic measurement 151
- dynamic pressure 819
- dynamics 195
- E
- Effect of axial agitator configuration (up-pumping, down-pumping, reverse rotation) on flow patterns generated in stirred vessels, Aubin, J., Mavros, P., Fletcher, D.F., Bertrand, J. and Xuereb, C. 831
- Effect of operating parameters and screw geometry on micromixing in a co-rotating twin-screw extruder, Rožek, A., Bakker, R.A. and Baldyga, J. 938
- Effect of particle size on simulation of three-dimensional solid dispersion in stirred tank, Altway, A., Setywan, H., Margono and Winardi, S. 1011
- Effect of pipe diameter on the performance of drag-reducing polymers in annular gas-liquid flows, Al-Sarkhi, A. and Hanratty, T.J. 402
- Effect of process variables in the single-feed semi batch precipitation of barium sulphate, Uehara-Nagamine, E. and Armeante, P.M. 979
- Effect of size, location and pumping direction of pitched blade turbine impellers on flow patterns: LDA measurement and CFD predictions, The, Jaworski, Z., Dyster, K.N. and Nienow, A.W. 873
- Effect of swirl on flow stability in spray dryers, The, Southwell, D.B. and Langrish, T.A.G. 222
- Effects of mixing on parallel chemical reactions in a continuous-flow stirred tank reactor, Baldyga, J., Henczka, M. and Makowski, L. 895
- electrical resistance tomography 869
- energy efficiency 716
- enhancement of heat transfer 437
- entrainment 453, 463
- evaporation 417
- Evaporative heat transfer to solutions containing dissolved solids: Effect of vapour-liquid equilibrium and mass transfer, Wadekar, V.V. and Hills, P.D. 477
- evolutionary synthesis 143
- expansion design 89
- experimental data 581
- Experience with experimental standards for measurements of various parameters in stirred tanks: A comparative test, Kraume, M. and Zehner, P. 811
- Experimental analysis of floc size distribution and hydrodynamic in a jar test, Bouyer, D., Line, A., Cockx, A. and Do-Quang, Z. 1017
- Experimental and CFD simulation of heat transfer to highly viscous fluids in an agitated vessel equipped with a non-standard helical ribbon impeller, Delaplace, G., Torrez, C., Leuliet, J.C., Belaubre, N. and Andre, C. 927
- Experimental comparison of the iodide-iodate and the diazo coupling micromixing test reactions in stirred reactors, Guichardon, P., Falk, L. and Andrieu, M. 906
- Experimental measurement and numerical simulation of the effect of swirl on flow stability in spray dryers, Lebarbier, C., Kockel, T.K., Fletcher, D.F. and Langrish, T.A.G. 260
- Experimental study of flocculation of bentonite and *Alicigenes eutrophus* in a batch oscillatory baffled flocculator, Ni, X., Cosgrove, J.A., Cumming, R.H., Greated, C.A., Murray, K.R. and Norman, P. 33
- Experimental study of non-uniform Pd catalytic monoliths, Cominos, V. and Gavrilidis, A. 795
- Experimental visualization and CFD simulation of flow pattern induced by a novel energy-saving dual configuration impeller in stirred vessels, Mavros, P., Mann, R., Vlaev, S.D. and Bertrand, J. 843
- Experiments and CFD predictions of solid particle distribution in a vessel agitated with four pitched blade turbines, Montante, G., Micale, G., Magelli, F. and Brucato, A. 1005
- Exploiting configurational entropy effects for separation of hexane isomers using silicalite-1, Krishna, R. 182
- F
- falling film evaporation 477
- fibres 484
- finite mode PDF 998
- finite reflux 733
- floating particles 789
- floc size distribution 1017
- flocculation 33, 1017
- flooding 463, 575
- flow boiling 425
- Flow boiling of refrigerant R141B in small tubes, Lin, S., Kew, P.A. and Cornwell, K. 417
- flow instability 389
- flow number 989
- flow pattern 389
- flow patterns 222, 260, 873
- flow regime 283, 371, 376
- Flow visualization on stirred vessels: A review of experimental techniques, Mavros, P. 113
- fluid catalytic cracking 137
- fluidization 593
- fluidized catalytic cracking 274
- fluorescence 862
- four bladed disk style turbine 269
- frequency weighting function 754
- Further results on expansion design of partially decentralized controllers: 2 x 2 plant cases, Teck Kiang Lee and Min-Sen Chiu 89
- G
- gas dispersion 575, 811, 973
- Gas dispersion in sparged and boiling reactors, Gao, Z., Smith, J.M. and Müller-Steinhagen, H. 973



- gas hold-up 973
- Gas phase polyethylene reactors a global study of stability behaviour, Ajbar, A. and Alhumaizi, K. 195
- gas-liquid contact 973
- gas-liquid (inclined) pipe flow 581
- gas-solid spouted bed 593
- genetic algorithms 310
- Geometry adaption to improve the performance of compact, polymer condensers, Van Der Geld, C.W.M., Ganzevles, F.L.A., Simons, C.T.P.F. and Weitz, F. 357
- grain model 81
- granular flow 51
- graphical user interface 765
- Gravity driven laminar flow in a partially filled pipe, Ng, T.S., Lawrence, C.J. and Hewitt, G.F. 499
- gravure coating 41
- H
- heat exchanger network 143, 163
- heat exchanger network synthesis 765
- heat transfer 376, 927
- Heat transfer coefficient distributions in an experimental kettle reboiler thin slice, Burnside, B.M., Miller, K.M., McNeil, D.A. and Bruce, T. 445
- heat transfer coefficients 445
- helical ribbon impeller 927
- HETP 725
- heuristics 323
- high gas loading 575
- high gas velocities 376
- hold-up 283, 581
- homogenization 811
- horizontal gas-liquid flow 402
- hot sparged reactors 575, 973
- hydrodynamics 269
- Hydraulic and mass transfer characteristics of packings for adsorption and distillation columns. Rauschert-Metall-Sattell-Rings, Linek, V., Moucha, T. and Rejl, F.J. 725
- Hydrodynamic characterization of the flow induced by a four-bladed disk-style turbine, Garcia-Cortés, D., Ferrer, E. and Barbera, E. 269
- hydrodynamic stress 853
- hydrodynamics 881
- I
- identification 754
- impeller 989
- Impeller geometry effect on velocity and solids suspension, Wu, J., Zhu, Y. and Pullum, L. 989
- Implications and challenges of enhanced heat transfer for the chemical process industries, The, Bergles, A.E. 437
- impregnated activated carbon 209
- Improved liquid hold-up correlation for randomly packed towers, Piché, S., Larachi, F. and Grandjean, B.P.A. 71
- improvement of heat exchangers 437
- in-line viscosity 915
- Influence of dispersed phase content and viscosity on the mixing of concentrated oil-in-water emulsions in the transition flow regime Briceño, M., Salager, J.L. and Bertrand, J. 943
- Influence of gas flow rate on the structure of trailing vortices of Rushton Turbine: PIV measurements and CFD simulations, Ranade, V.V., Perrard, M., Xuereb, C., Le Sauze, N. and Bertrand, J. 957
- Influence of mixing on molecular weight distribution during controlled polymer degradation in a static mixer reaction, The, Hoefsloot, H.C.J., Fourcade, E., Van Vliet, G., Bunge, W., Mutters, S.M.P. and Iedema, P.D. 921
- Inline rheological follow-up of concentrated dispersions preparation, Furling, O., Choplin, L. and Tanguy, P.A. 915
- inserts 357, 484
- interfacial friction 581
- internal phase content 943
- iodide-iodate test 906
- K
- kettle reboilers 445
- kinetic study 62
- Kinetic study of zinc oxide reduction by methane, Ale Ebrahim, H. and Jamshidi, E. 62
- L
- laminar 921
- laminar mixing 938
- large eddy simulation 824
- laser 113, 843
- Laser Doppler Velocimetry 113, 222, 831
- laser sheet 862
- LDA 113, 269, 873
- least square method 754
- liquid hold-up 71
- Liquid-liquid dispersion in a SMX-Sulzer static mixer, Legrand, J., Morancas, P. and Carnelle, G. 949
- liquid-liquid extraction 156
- local energy dissipation 853
- local hydrodynamics 1017
- lubrication theory 128
- lumped-parameter model 389
- M
- mass transfer 725
- Mass transfer and hold-up characteristics in a gassed, stirred vessel at intensified operating conditions, Gezork, K.M., Bujalski, W., Cooke, M. and Nienow, A.W. 965
- mathematical modelling 81
- mathematical programming 163
- maximum spreading ratio 491
- Maxwell-Stefan theory 182
- mean strain rate 33
- Measurements of the concentration and velocity distribution on miscible liquid mixing using electrical resistance tomography, Wang, M. and Yin, W. 869
- membrane 151
- mesomixing 979
- metering nip 128
- methane 62
- methane combustion 795
- micromixing 895, 979, 998
- micromixing processes 906
- MILP 747
- Mixel TT 831
- mixing 113, 269, 831, 843, 862, 881, 921, 927, 943, 979, 989, 1005, 1017
- mixing index 862
- mixing time 805
- mixture effect 477
- model 581
- model predictive control 274
- modelling 41, 323, 906
- Modelling of an industrial fluid catalytic cracking unit using neural networks, Michalopoulos, J., Papadokonstadakis, S., Arampatzis, G. and Lygeros, A. 137
- multi-layer perceptron 137
- Multicomponent and contamination effects on mass transfer in a liquid-liquid extraction rotating disc container, Brodkorb, M.J. and Slater, M.J. 335
- multiphase flow 881
- multiple impeller agitators 973
- multiple impellers 1005
- multiple injection mixing 515
- MWD 921
- N
- Naphthali-Sandholm model 310
- Narcissus 843
- neural networks 71, 137, 323
- neutralization 323
- Ni-Mo/Al<sub>2</sub>O<sub>3</sub> 81
- non-invasive technique 881
- non-Newtonian 927
- non-uniform catalyst distribution 795
- Novel and low cost probe for monitoring dispersed solids concentrations in liquids, A., Richardson, D.J. and Holdich, R.G. 569

- Numerical simulation of the two-phase flow in an axially stirred vessel, Ljungqvist, M. and Rasmuson, A. 533
- Numerical simulations of gas flow patterns within a tall-foam spray dryer, Harvie, D.J.E., Langrish, T.A.G. and Fletcher, D.F. 235
- Numerical simulations of hydrodynamic behaviour in spouted beds, Huilin, L., Yongli, S., Yang, L., Yurong, H. and Bouillard, J. 593
- Numerical study of multi-jet mixing, Georges, A.T.G., Fomey, L.J. and Wang, X. 515
- O
- On the criteria of nucleate pool boiling enhancement by surfactant addition to water, Yang, Y.M. and Maa, J.R. 409
- On the simulation of turbulent precipitation in a tubular reactor via computational fluid dynamics (CFD), Marchisio, D.L., Fox, R.O., Baressi, A.A., Garbero, M. and Baldi, G. 998
- On the use of linear models for the design of water utilization systems in process plants with a single containment, Bagajewicz, M. and Savelski, M. 600
- optical sensor 151
- optimization 25, 143, 701, 765
- Optimization approach for evolutionary synthesis of heat exchanger networks, An, Mehta, R.K.C., Devalkar, S.K. and Narasimhan, S. 143
- Optimization of continuous distillation columns using stochastic optimization approaches, Ramanathan, S.P., Mukherjee, S., Dahule, R.K., Ghosh, S., Rahman, I., Tambe, S.S., Ravetkar, D.D. and Kuljarni, B.D. 310
- oscillation 33
- P
- packed bed 81, 547
- packed column 725
- parallel chemical reactions 895
- parallel reactions 918
- Parametric study of offset gravure coating, A, Kapur, N., Gaskell, P.H. and Bates, A. 41
- partially decentralized controller 89
- particle size 1011
- particle tracking 881
- Petyluk column 701, 716
- pH 323
- pH control using pi control algorithms with automatic tuning method, Ali, E. 611
- pinch technology 143
- pipeline mixing 515
- pitched blade turbine 831, 873, 1005
- PIV 3, 113, 957
- plant cell culture 853
- plastic 357
- polyethylene 195
- polypropylene 921
- porous media 569
- possible product compositions 733
- Potential physical methods for the control of biofouling in water systems, Bott, T.R. 484
- Power consumption and mixing time in an agitated vessel with double impeller, Hiraoka, S., Kato, Y., Tada, Y., Ozaki, N., Murakami, Y. and Lee, Y.S. 805
- Power demand of gas dispersing impellers under high load conditions, Smith, J.M. and Gao, Z. 575
- power input 811
- precipitation 979, 998
- prefractionator 716
- pressure drop 547, 553, 581, 725
- Pressure drop in packed shallow beds of cylindrical cork stoppers, Rangel, N., Santos, A. and Pinho, C. 547
- pressure drops 553
- process graph 143
- process modelling 137
- Process viscosity in reverse roll coating, Alonso, S., Réglat, O., Bertrand, F., Choplin, L. and Tanguy, P.A. 128
- Propagation of boiling fronts along horizontally arranged heated tubes, Mitrovic, J. and Fauser, J. 363
- pseudo-fluid model 949
- pseudo-inverse factor 89
- pumping mode 873
- R
- R-22 553
- R-407c 553
- R-410a 553
- radial baffle loading 819
- randomly packed bed 71
- reaction-separation 25
- reactive extrusion 938
- reactor 195
- real adsorbed solution theory 182
- recovery 13
- reduction 62
- Reflux condensation flooding prediction: Review of current status, Palen, J. and Yang, Z.H. 463
- refrigeration systems 163
- Regeneration of Ni-Mo/Al<sub>2</sub>O<sub>3</sub> catalyst: Experimental and simulated results, Britto, A., Arvelo, R., Borges, M.E. and Garcia, F.J. 81
- Resistance due to the presence of bubbles in an electrolytic cell with a grooved anode, Chen, J.J.J., Qian, K.X. and Zhao, J.C. 383
- retrofit 163, 716
- Retrofit of integrated refrigeration systems, Wu, G. and Zhu, X.X. 163
- reversible distillation 733
- rotary kilns 51
- rotating disc contractor 156
- Rushton turbine impeller 3, 819
- S
- Saturated flow boiling of water in a narrow channel: Experimental investigation of local phenomena, Kenning, D.B.R. and Youyou Yan 425
- Sauter diameter 949
- Scaling up bubble column reactors with the aid of CFD, Krishna, R. and Van Baten, J.M. 283
- scheduling 747
- Scheduling of cutting stock processes on multiple parallel machines, Giannelos, N.F. and Georgiadis, M.C. 747
- second order plus time delay model (SOPTD) 754
- selectivity 895
- separation 25, 209
- sharp distillations 733
- short cut design 701
- simulated annealing 765
- simulation 81, 1011
- simultaneous perturbation stochastic approximation 310
- Single phase axial mixing in rotating disc contactors, Godfrey, J.C., Houlton, D., Ramlochan K.R.M. and Slater, M.J. 156
- singularity 195
- snapshot approach 3
- solid dispersion 1011
- solid-liquid mixing 789
- solids distribution 1005
- solids suspension 811, 989
- solubility 409
- Split of horizontal stratified flow at a large diameter T-junction, The, Rea, S. and Azzopardi, B.J. 470
- spray drying 235
- stability 195
- stage composition lines 701
- standardization 811
- static mixer 921, 949
- stationary points 733
- steam reformer 209
- stirred suspensions 1005
- stirred tanks 533, 789, 824, 862, 1011
- stirred vessel 3, 113
- stratified flows 453, 561
- Study of bubble formation under constant flow conditions, Jamialahmadi, M., Zehtaban, M.R., Müller-Steinhagen, H., Sarrafi, A. and Smith, J.M. 523
- sub cooled boiling 477
- sub grid-scale models 824
- superheat 363
- surface tension 409
- surfactant additive 409
- suspension of solids 533
- synthesis 25

- Synthesized tin activated carbon adsorbent for purer and cheaper hydrogen, Iyuke, S. 209
- T**
- Targeting and flow design for minimum treatment flowrate for vent streams, Chi-Wai Hui and Smith, R. 13
- Taylor expansion 754
- Theory of distillation trajectory bundles and its application to the optimal design of separation units: Distillation trajectory bundles at finite reflux, Petyluk, F.B. and Danilov, R.Y. 733
- thermal coupling 701, 716
- thermography 113
- thin films 41
- thin slice rigs 445
- tin 209
- torsion shear 249
- trailing vortices 3, 957
- Trailing vortices of Rushton turbine: PIV measurements and CFD simulations with snapshot approach, Ranade, V.V., Perrard, M., Le Sauze, N., Xuereb, C. and Bertrand, J. 3
- trajectography 113
- trajectory bundles 733
- Transient response of granular flows in an inclined rotating cylinder, The, Spurling, R.J., Davidson, J.F. and Scott, D.M. 51
- transient uptake 182
- transient viscosity 128
- transients 51, 363
- transverse mixers 515
- trim loss 747
- tubular reactor 998
- Turbulent shear stress effects on plant cell suspension cultures, Sowana, D.D., Williams, D.R.G., Dunlop, E.H., Dally, B.B., O'Neil, B.K. and Fletcher, D.F. 853
- turbulence 824
- two-phase flow 371, 417, 453, 533, 553, 561
- Two-phase flow resistance of refrigerants R-22, R-410a and R-407c in small diameter tubes, Wang, C.C., Chiang, S.K., Chang, Y.J. and Chung, T.W. 553
- U**
- ultrasound 484
- up-pumping 831
- V**
- velocimetry 843
- velocity profiles 561
- venturi 371
- viscous liquids 938
- Visual representation of process heat exchange as a basis for user interaction and stochastic optimization, A, Fraga, E.S., Patel, R. and Rowe, G.W.A. 765
- visualization 222, 765, 881
- VOC 13
- void fraction 371
- volumetric mass transfer coefficient 725
- W**
- wall deposition 222, 260
- waste water minimization 600
- water treatment 1017
- Z**
- zeta potential 249
- zinc oxide 62
- BOOK REVIEWS**
- A**
- Advanced process control and information systems for the process industries. L. A. Kane (ed) (Gulf Publishing Co., 1999). Reviewed by X. Z. Wang 217
- C**
- Compact heat exchangers and enhancement technology for the process industries. R.K. Shah, K.J. Bell, H. Honda and B. Thonon (eds) (Begell House Inc., 1999). Reviewed by D. Reay 215
- H**
- Heat exchanger fouling and mitigation cleaning technologies. H. Müller-Steinhagen (ed) (IChemE, 2000). Reviewed by R. Bott 216
- I**
- Improving maintainability and reliability through design. G. Thompson (Professional Engineering Publishing, 1999). Reviewed by C. Whetton 106
- M**
- Materials and equipment: Volume 4 of petroleum refining. P. Trambouze IFP (ed) (Editions Technip, 2000). Reviewed by Dr W.J. Korchinsky 349
- N**
- Non-Newtonian flow in the process industries. R.P. Chhabra and P.F. Richardson (Butterworth Heinemann, 1999). Reviewed by H. A. Barnes 215
- Numerical problems in thermodynamics and kinetics of chemical processes. S. Wronski, R. Pohorecki and J. Siwinski (Begell House Ind., 1998). Reviewed by A.S. McLeod 106
- T**
- The chemical process industries infrastructure, function and economics. J.R. Couper, T. Beasley and W.R. Penney (Marcel Dekker, 2001). Reviewed by D. Brennan 802
- U**
- Uhlig's corrosion handbook. R. Winston Revie (ed) (John Wiley and Sons Inc., 2000). Reviewed by A. Richardson 801
- REGULAR FEATURES**
- Contents of the Canadian Journal of Chemical Engineering 108, 219, 353, 622, 692
- Doctorates in Chemical Engineering 1999-2000 97
- List of Referees 2001 1026



